

Erratum to: Thoracic and cardiovascular surgery in Japan during 2012: Annual report by The Japanese Association for Thoracic Surgery

Committee for Scientific Affairs, The Japanese Association for Thoracic Surgery · Munetaka Masuda · Hiroyuki Kuwano · Meinoshin Okumura · Jun Amano · Hirokuni Arai · Shunsuke Endo · Yuichiro Doki · Junjiro Kobayashi · Noboru Motomura · Hiroshi Nishida · Yoshikatsu Saiki · Fumihiko Tanaka · Kazuo Tanemoto · Yasushi Toh · Hiroyasu Yokomise

© The Japanese Association for Thoracic Surgery 2014

Erratum to: Gen Thorac Cardiovasc Surg (2014)
62:734–764
DOI 10.1007/s11748-014-0464-0

The online version of the original article can be found under doi:[10.1007/s11748-014-0464-0](https://doi.org/10.1007/s11748-014-0464-0).

Committee for Scientific Affairs, The Japanese Association for Thoracic Surgery, Tokyo, Japan

M. Masuda (✉)
Department of Surgery, Yokohama City University, Yokohama, Japan
e-mail: survey-adm@umin.net

H. Kuwano
Department of General Surgical Science (Surgery I) Gunma University, Graduate School of Medicine, Gunma, Japan

M. Okumura
Department of General Thoracic Surgery, Osaka University Graduate School of Medicine, Osaka, Japan

J. Amano
Department of Cardiovascular Surgery, Fujimi-Kogen Medical Center, Nagano, Japan

H. Arai
Department of Cardiovascular Surgery, Tokyo Medical and Dental University Graduate School of Medical and Dental Sciences, Tokyo, Japan

S. Endo
Department of Thoracic Surgery, Jichi Medical University, Tochigi, Japan

Y. Doki
Department of Gastroenterological Surgery Graduate School of Medicine, Osaka University, Osaka, Japan

The following errors appeared in the above-cited article.

In 2012 Final report, (A) Cardiovascular surgery section, on the seventh line in the third paragraph, “14,944 cases in thoracic aortic aneurysm” should read “15,058 cases in thoracic aortic aneurysm”.

J. Kobayashi
Department of Cardiovascular Surgery, National Cerebral and Cardiovascular Center, Osaka, Japan

N. Motomura
Department of Cardiovascular Surgery, Toho University, Sakura Medical Center, Chiba, Japan

H. Nishida
Department of Cardiovascular Surgery, The Heart Institute of Japan, Tokyo Women’s Medical University, Tokyo, Japan

Y. Saiki
Division of Cardiovascular Surgery, Tohoku University Graduate School of Medicine, Miyagi, Japan

F. Tanaka
Second Department of Surgery, University of Occupational and Environmental Health, Japan, Fukuoka, Japan

K. Tanemoto
Department of Cardiovascular Surgery, Kawasaki Medical School, Okayama, Japan

Y. Toh
Department of Gastroenterological Surgery, National Kyushu Cancer Center, Fukuoka, Japan

H. Yokomise
Department of General Thoracic Surgery, Faculty of Medicine, Kagawa University, Kagawa, Japan

Also in (A) Cardiovascular surgery section, the title for Table 3, “Thoracic aortic aneurysm (total; 14,944)” should read “Thoracic aortic aneurysm (total; 15,058)”. (1) “Dissection (total; 6,266”) should read (1) “Dissection (total; 6,380”). Additionally, some column totals were incorrect. The corrected table is given below.

In (B) General thoracic surgery section, Table 22, on the eighth line of the table body, “Cardinal reconstruction” should read “Carinal reconstruction”.

Table 3 Thoracic aortic aneurysm (total: 15,058)
(1) Dissection (total: 6,380)

Stanford type	Replaced site																									
	Acute							Chronic							Redo											
	A			B				A			B															
	Cases	30-day mortality Hospital After discharge	Hospital mortality	Cases	30-day mortality Hospital After discharge	Hospital mortality	Cases	30-day mortality Hospital After discharge	Hospital mortality	Cases	30-day mortality Hospital After discharge	Hospital mortality	AVP	AVR	MVP	MVR	CABG	Cases	30-day mortality Hospital After discharge	Hospital mortality						
1. Ascending Ao.	2,447	190 (7.8)	2 (0.1)	232 (9.5)	3	1 (33.3)	0	1 (33.3)	0	5 (2.3)	0	6 (2.7)	8	1 (12.5)	0	1 (12.5)	240	134	17	10	125	49	8 (16.3)	0	8 (16.3)	
2. Aortic Root	149	28 (18.8)	0	33 (22.1)	0	0	0	0	0	7 (10.3)	0	9 (13.2)	4	0	0	0	21	118	5	1	42	48	9 (18.8)	0	11 (22.9)	
3. Ascending Ao.+Arch	1,340	116 (8.7)	2 (0.15)	150 (11.2)	16	3 (18.8)	0	3 (18.8)	0	8 (2.6)	1 (0.3)	18 (6.0)	107	4 (3.7)	0	9 (8.4)	112	61	10	3	87	90	4 (4.4)	0	5 (5.6)	
4. Arch+Descending Ao.	30	4 (13.3)	0	4 (13.3)	10	4 (40.0)	0	5 (50.0)	0	1 (4.8)	0	1 (4.8)	79	6 (7.6)	0	9 (11.4)	0	1	0	0	5	9	1 (11.1)	0	2 (22.2)	
5. Aortic Root +Asc.Ao.+Arch	96	21 (21.9)	1 (1.0)	22 (22.9)	0	0	0	0	0	0	0	0 (0.0)	4	0	0	0	18	51	0	1	13	10	0	0	0	0
6. Descending Ao.	11	0	0	1 (9.1)	52	8 (15.4)	0	11 (21.2)	0	4 (5.2)	0	6 (7.8)	217	8 (3.7)	0	14 (6.5)	1	4	0	0	4	38	6 (15.8)	0	7 (18.4)	
7. Thoracoabdominal Ao.	5	0	0	0	12	1 (8.3)	0	2 (16.7)	0	3 (6.1)	0	3 (6.1)	151	13 (8.6)	0	16 (10.6)	0	0	0	0	0	43	4 (9.3)	0	4 (9.3)	
8. Extra-anatomical bypass	11	0	0	1 (9.1)	19	1 (5.3)	0	2 (10.5)	0	0	0	0 (0.0)	1	0	0	0	0	0	0	0	0	0	0	0	0	0
9. Stent graft ^a	97	1 (1.0)	0	1 (1.0)	120	6 (5.0)	0	8 (6.7)	0	3 (3.0)	0	5 (5.0)	518	8 (1.5)	0	15 (2.9)	5	3	0	0	5	99	2 (2.0)	0	3 (3.0)	
1) TEVAR ^b	35	1 (2.9)	0	1 (2.9)	110	6 (5.5)	0	8 (7.3)	0	3 (3.5)	0	5 (5.8)	492	7 (1.4)	0	13 (2.6)	2	0	0	0	0	97	2 (2.1)	0	3 (3.1)	
2) Open stent	62	0	0	0	10	0	0	0	0	0	0	0	23	1 (4.3)	0	2 (8.7)	3	3	0	0	5	2	0	0	0	
a) With total arch ^c	3	0	0	0	4	0	0	0	0	1	0	0	4	0	0	0	1	0	0	0	0	1	0	0	0	
b) Without total arch ^d	59	0	0	0	6	0	0	0	0	13	0	0	19	1 (5.3)	0	2 (10.5)	2	3	0	0	5	1	0	0	0	
3) Unspecified	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	
Total	4,186	360	5 (0.12)	444 (10.6)	232	24 (10.3)	0	32 (13.8)	0	31 (3.6)	1 (0.1)	48 (5.5)	1,092	40 (3.7)	0	64 (5.9)	397	372	32	15	281	386	34 (8.8)	0	40 (10.4)	

Values in parenthesis represent mortality %

Ao aorta, AVP aortic valve repair, AVR aortic valve replacement, MVP mitral valve repair, MVR mitral valve replacement, CABG coronary artery bypass grafting, TEVAR thoracic endovascular aortic(aneurysm) repair

Acute, within 2 weeks from the onset

*a = *b + *c + *d + unspecified